Search	Notes

Application/Control No	Applicant(s)/Patent under Reexamination	
10/634,081	WATANABE ET AL.	
Examiner	Art Unit	
Laura C. Hill	3761	

SEARCHED				
Class	Subclass	Date	Examiner	
604	385.101	10/26/2005	ГСН	
604	367	10/26/2005	LCH	
604	379	10/26/2005	LCH	
	==			

INTERFERENCE SEARCHED				
Class	Subclass	Date	Examiner	
PG Pubs classes searched: 604/378- 379,367,358, 385.01 (USPGP		10/27/2005	LCH	

SEARCH NOTES (INCLUDING SEARCH STRATEGY)				
	DATE	EXMR		
604/378-380, 385.01, 358, 367; 428/all subclasses (Updated text search onlysee attached EAST history printout	10/26/2005	LCH		
Updated inventor name search	10/27/2005	LCH		
European Patent Office database "capillary and gradient"	10/27/2005	LCH		
NPL: Proquest "absorbent laminate density" and "crests and troughs and topsheet"; Research Disclosure "filled and void",etc	10/27/2005	LCH		
NPL: Medline 'liquid distribution and sanitary napkin/feminine product"	10/27/2005	LCH		
NPL: NetLibrary "diaper and capillary gradient/wicking"; ScienceDirect "fluid distribution", etc	10/27/2005	LCH		
NPL: Altavista and Google internet search databases "alternating compressed absorbent fibers", "laminate density", etc.	10/27/2005	LCH		
PG Pubs classes searched: 604/378- 379,367,358, 385.01 (USPGPubs)	10/27/2005	LCH		